



## 2013 Aggregate Report – Client XXXX

### LOCATION #1

#### Total Aggregate Information 2013 Screening

\*\*1722 Employees Screened\*\*

	Number Exceeding	Percent Exceeding
<b>Cholesterol &gt; 200</b>	342	19.87%
<b>Blood Pressure (Systolic) &gt; 140</b>	70	4.07%
<b>Blood Pressure (Diastolic) &gt; 90</b>	84	4.88%
<b>HDL &lt; 40</b>	280	16.27%
<b>BMI &gt; 24.99</b>	977	56.7%
BMI below 18.5	43	2.5%
BMI 18.5 to 24.99	702	40.8%
BMI 25 to 29.99	464	26.9%
BMI 30 to 39.99	417	24.23%
BMI 40 and above	96	5.6%
<b>Glucose &gt; 140</b>	45	2.65%
<b>A1c &gt; 5.7 (as % of A1c tests)</b>	37	2.15%
<b>Waist &gt; 35" (Female)</b>	512	29.75%
<b>Waist &gt; 40" (Male)</b>	65	3.78%

NOTE: Pregnant women are excluded from BMI and waist measurement statistics. 30 women were pregnant.



## 2013 Aggregate Report – Client XXXX

### LOCATION #2

#### Total Aggregate Information 2013 Screening

\*\*1891 Employees Screened\*\*

	Number Exceeding	Percent Exceeding
<b>Cholesterol &gt; 200</b>	500	26.45%
<b>Blood Pressure (Systolic) &gt; 140</b>	61	3.25%
<b>Blood Pressure (Diastolic) &gt; 90</b>	79	4.2%
<b>HDL &lt; 40</b>	354	18.75%
<b>BMI &gt; 24.99</b>	1111	58.8%
BMI below 18.5	62	3.3%
BMI 18.5 to 24.99	718	37.9%
BMI 25 to 29.99	564	29.85%
BMI 30 to 39.99	433	22.9%
BMI 40 and above	114	6%
<b>Glucose &gt; 140</b>	57	3%
<b>A1c &gt; 5.7 (as % of A1c tests)</b>	22	1.2%
<b>Waist &gt; 35" (Female)</b>	590	31.2%
<b>Waist &gt; 40" (Male)</b>	71	3.75%

NOTE: Pregnant women are excluded from BMI and waist measurement statistics. 54 women were pregnant.



## 2013 Aggregate Report – Client XXXX

### LOCATION #3

#### Total Aggregate Information 2013 Screening

\*\*1114 Employees Screened\*\*

	Number Exceeding	Percent Exceeding
<b>Cholesterol &gt; 200</b>	302	27.1%
<b>Blood Pressure (Systolic) &gt; 140</b>	52	4.7%
<b>Blood Pressure (Diastolic) &gt; 90</b>	68	6.1%
<b>HDL &lt; 40</b>	232	20.8%
<b>BMI &gt; 24.99</b>	698	62.6%
BMI below 18.5	35	3.1%
BMI 18.5 to 24.99	381	34.2%
BMI 25 to 29.99	323	29.0%
BMI 30 to 39.99	299	26.9%
BMI 40 and above	76	6.8%
<b>Glucose &gt; 140</b>	38	3.4%
<b>A1c &gt; 5.7 (as % of A1c tests)</b>	23	2.1%
<b>Waist &gt; 35" (Female)</b>	289	25.9%
<b>Waist &gt; 40" (Male)</b>	57	5.1%

NOTE: Pregnant women are excluded from BMI and waist measurement. 20 women were pregnant.



## 2013 Aggregate Report – Client XXXX

### LOCATION #4

#### Total Aggregate Information 2013 Screening

\*\*153 Employees Screened\*\*

	Number Exceeding	Percent Exceeding
<b>Cholesterol &gt; 200</b>	37	24.2%
<b>Blood Pressure (Systolic) &gt; 140</b>	8	5.2%
<b>Blood Pressure (Diastolic) &gt; 90</b>	9	5.8%
<b>HDL &lt; 40</b>	20	13.1%
<b>BMI &gt; 24.99</b>	68	44.4%
BMI below 18.5	11	7.2%
BMI 18.5 to 24.99	74	48.4%
BMI 25 to 29.99	42	27.5%
BMI 30 to 39.99	22	14.4%
BMI 40 and above	4	2.6%
<b>Glucose &gt; 140</b>	3	2%
<b>A1c &gt; 5.7 (as % of A1c tests)</b>	0	0%
<b>Waist &gt; 35" (Female)</b>	28	18.3%
<b>Waist &gt; 40" (Male)</b>	5	3.3%

NOTE: Pregnant women are excluded from BMI and waist measurement statistics. 5 women were pregnant.



## 2013 Aggregate Report – Client XXXX

### LOCATION #5

#### Total Aggregate Information 2013 Screening

\*\*170 Employees Screened\*\*

	Number Exceeding	Percent Exceeding
<b>Cholesterol &gt; 200</b>	40	23.5%
<b>Blood Pressure (Systolic) &gt; 140</b>	13	7.6%
<b>Blood Pressure (Diastolic) &gt; 90</b>	13	7.6%
<b>HDL &lt; 40</b>	32	18.8%
<b>BMI &gt; 24.99</b>	138	81.2%
BMI below 18.5	5	2.9%
BMI 18.5 to 24.99	27	15.9%
BMI 25 to 29.99	58	34.1%
BMI 30 to 39.99	60	35.3%
BMI 40 and above	20	11.7%
<b>Glucose &gt; 140</b>	5	2.9%
<b>A1c &gt; 5.7 (as % of A1c tests)</b>	3	1.7%
<b>Waist &gt; 35" (Female)</b>	85	50%
<b>Waist &gt; 40" (Male)</b>	10	5.8%

NOTE: Pregnant women are excluded from BMI and waist measurement statistics. 3 women were pregnant.



## 2013 Aggregate Report – Client XXXX

### LOCATION #6

#### Total Aggregate Information 2013 Screening

\*\*497 Employees Screened\*\*

	Number Exceeding	Percent Exceeding
<b>Cholesterol &gt; 200</b>	124	24.9%
<b>Blood Pressure (Systolic) &gt; 140</b>	15	3.0%
<b>Blood Pressure (Diastolic) &gt; 90</b>	16	3.2%
<b>HDL &lt; 40</b>	102	20.5%
<b>BMI &gt; 24.99</b>	292	58.7%
BMI below 18.5	16	3.2%
BMI 18.5 to 24.99	189	38.0%
BMI 25 to 29.99	146	29.3%
BMI 30 to 39.99	117	23.5%
BMI 40 and above	29	5.8%
<b>Glucose &gt; 140</b>	20	4.0%
<b>A1c &gt; 5.7 (as % of A1c tests)</b>	4	0.81%
<b>Waist &gt; 35" (Female)</b>	159	32%
<b>Waist &gt; 40" (Male)</b>	8	1.6%